

Keras + Tensorflow Guide

Recitation 3

Slides by Katherine Guo, Suraj Nair, Sid Murching

Installation

Install and/or Upgrade Pip

- Installing pip

- Already installed if you're using Python 2 $\geq 2.7.9$ or Python 3 ≥ 3.4 binaries from python.org
- Otherwise, download get-pip.py
 - Link: <https://bootstrap.pypa.io/get-pip.py>
- Then, run `python get-pip.py` from the command line
- Installation guide: <https://pip.pypa.io/en/stable/installing/#installing-with-get-pip-py>

- Upgrading pip

- On Linux or macOS:
 - `$ pip install -U pip`
- On Windows:
 - `> python -m pip install -U pip`

Installing Tensorflow (pip)

- **Pip Installation**

- Link:

- https://www.tensorflow.org/versions/r0.11/get_started/os_setup

- Select the CPU-only binary corresponding to your operating system

- Be sure to check if your system is 32 or 64 bit

- Set the TF_BINARY_URL environment variable

- Then, run: `$sudo pip install --upgrade $TF_BINARY_URL`

Installing Tensorflow (Anaconda)

- **Installing with Anaconda**
- Link:
https://www.tensorflow.org/versions/r0.11/get_started/os_setup#anaconda_installation
- Create a new Anaconda environment for Tensorflow and its dependencies
 - `$ conda create -n tensorflow python=2.7`
- Activate the conda environment: `$source activate tensorflow`
- Now, install Tensorflow as described in the pip instructions
 - Export `$TF_BINARY_URL`, run `pip install --upgrade $TF_BINARY_URL`
- Or use conda:
 - `conda install -c conda-forge tensorflow`

Installing Keras

- Keras
 - Deep learning library
 - Provides an high-level interface over Theano & Tensorflow for building/fitting neural nets
- For CS 155, please use the Tensorflow backend when using Keras
- OSX/Windows/Linux: %> `pip install keras`
- If that doesn't work, try
 - `conda install -c conda-forge keras`
- Install guide: <https://keras.io/#installation>

Common Pitfalls

- Not installing the right build of Tensorflow for your system
- Wrong version (installing stuff for Python 3 but you have both Python 3 and Python 2)
- Google your error messages!!!

Creating a Deep Model with Keras

- Process
 - Define your model
 - Compile your model
 - Fit your model
 - Evaluate model
- Can see an example in HW4 sample code

Defining Your Model

- Use the Sequential class
 - `keras.models.Sequential`
 - Ex: `model = Sequential()`
 - You can then add layers with `model.add`
 - Ex: `model.add(Dense(N))`
 - Ex: `model.add(Convolution3D())`
 - Adds layers in order
 - Once you are done use `model.summary()`
 - Gives an overview of layers, parameters, input and output shape of each

Compiling your model

- To compile use `model.compile()`
- Takes following arguments:
 - Loss
 - 'mse' – mean squared error
 - 'categorical_crossentropy' – categorical cross entropy
 - Optimizer
 - 'sgd' - Stochastic gradient Descent
 - 'rmsprop' – RMS Prop
 - Metrics
 - 'accuracy' is you want it to maintain accuracy as well as loss, etc.
- If your model has problems (layers/dimensions that don't match) an error will be raised during compiling

Training your model

- Use `model.fit()`
- Takes training X, training Y
- Also takes `batch_size`, `**nb_epoch` (epochs)
- If you input / output sizes don't match what model expects will raise error

Evaluating your model

- `Model.evaluate()`
- Pass in input and outputs you want to evaluate on.
- Can pass in training or testing sets
- Will return loss and other metrics included in `model.compile()`
- Can also use `model.predict()` to just get predictions

Other Notes

- There will be an OH specifically for installation problems
- There will be also be general OH for the set

HW4 Sample Code Walkthrough

- I will now walk you through the HW4 sample code.
 - Will explore variations to sample code